

SAFETY DATA SHEET

System 3 Acrylic

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

System 3 Acrylic

Product no.

D129xxxxxx

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Art supplies and hobby preparations

Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC 9a	Coatings and Paints, Fillers, Putties, Thinners
Process category	Description
PROC 10	Roller application or brushing

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address Daler-Rowney Ltd.

Peacock Lane Bracknell RG12 8ST Bracknell United Kingdom +44 1344 461 156 (0730 – 1600 GMT) www.daler-rowney.com

Contact person

Research and Development Revision 08/05/2024

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements Hazard pictogram(s) Not applicable.

Signal word Not applicable. Hazard statement(s) Not applicable.



Precautionary statement(s) General
Prevention
Response
Storage
Disposal
- Hazardous substances None known. Additional labelling EUH208, Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210, Safety data sheet available on request.
2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

5.2. Wixtures				
Product/substance	Identifiers	% w/w	Classification	Note
2-aminoethanol;ethanolamine	CAS No.: 141-43-5 EC No.: 205-483-3 UK-REACH: Index No.: 603-030-00-8	<0.25%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 3, H412	[1]
1,2-benzisothiazol-3(2H)- one;1,2-benzisothiazolin-3- one	CAS No.: 2634-33-5 EC No.: 220-120-9 UK-REACH: Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)	
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	CAS No.: 55965-84-9 EC No.: 611-341-5 UK-REACH: Index No.: 613-167-00-5	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %) Eye Irrit. 2, H319 (SCL: 0.06 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	
Diphenyl ether	CAS No.: 101-84-8 EC No.: 202-981-2 UK-REACH:	<0.0015%	Eye Irrit. 2, H319 Repr. 1B, H360Fd Aquatic Acute 1, H400 (M=1)	[1]



Index No.:

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas.



Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-aminoethanol;ethanolamine Long term exposure limit (8 hours) (ppm): 1 Long term exposure limit (8 hours) (mg/m³): 2,5 Short term exposure limit (15 minutes) (ppm): 3 Short term exposure limit (15 minutes) (mg/m³): 7,6 Annotations: Sk = Can be absorbed through the skin and lead to systemic toxicity.

Diphenyl ether Long term exposure limit (8 hours) (ppm): 1 Long term exposure limit (8 hours) (mg/m³): 7 Short term exposure limit (15 minutes) (ppm): 2 Short term exposure limit (15 minutes) (mg/m³): 14

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	345 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	966 µg/kgbw/day
Long term – Systemic effects - General population	Inhalation	1.2 mg/m ³
Long term – Systemic effects - Workers	Inhalation	6.81 mg/m ³
2-aminoethanol;ethanolamine		
Duration:	Route of exposure:	DNEL:



According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Long term – Systemic effects - General population	Dermal	1.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	3 mg/kg bw/day
Long term – Local effects - General population	Inhalation	280 µg/m³
Long term – Local effects - Workers	Inhalation	510 μg/m³
Long term – Systemic effects - General population	Inhalation	180 µg/m³
Long term – Systemic effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Oral	1.5 mg/kg bw/day

PNEC

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		4.03 µg/L
Freshwater sediment		49.9 µg/kg
Intermittent release (freshwater)		1.1 µg/L
Intermittent release (marine water)		110 ng/L
Marine water		403 ng/L
Marine water sediment		4.99 µg/kg
Sewage treatment plant		1.03 mg/L
Soil		3 mg/kg

2-aminoethanol;ethanolamine

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		70 μg/L
Freshwater sediment		357 µg/kg
Intermittent release (freshwater)		28 µg/L
Marine water		7 µg/L
Marine water sediment		35.7 µg/kg
Sewage treatment plant		100 mg/L
Soil		1.29 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	2,0	> 480	EN374-2, EN374-3, EN388, EN407	
Eye protection No specific requi	rements.			
ECTION 9: Physical a	nd chemical properties			
Physical state Liquid Colour Testing not relev Odour / Odour three Characteristic pH Testing not relev Density (g/cm ³) Testing not relev Kinematic viscosity Testing not relev	rant or not possible due to th rant or not possible due to th rant or not possible due to th	e nature of the product. e nature of the product. e nature of the product.		
Particle characterist Does not apply to hase changes Melting point/Freez	o liquids. ing point (°C)			
Softening point/ran Does not apply to	rant or not possible due to th ge (waxes and pastes) (°C) o liquids.	e nature of the product.		
Boiling point (°C) Testing not relev Vapour pressure	rant or not possible due to th	e nature of the product.		
Relative vapour den	rant or not possible due to th sity rant or not possible due to th	·		
Decomposition tem Testing not relev	perature (°C) ant or not possible due to th			
ata on fire and explos Flash point (°C) Testing not relev	sion hazards rant or not possible due to th	e nature of the product.		
Flammability (°C) Testing not relev	ant or not possible due to th	·		
Auto-ignition tempe Testing not relev Lower and upper ex	ant or not possible due to th	e nature of the product.		
Testing not relev	ant or not possible due to th	e nature of the product.		
Solubility in water Testing not relev n-octanol/water coe	ant or not possible due to th	e nature of the product.		
Testing not relev				



9.2. Other information

Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

Other physical and chemical parameters

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity



No data available.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available. 12.5. Results of PBT and vPvB assessment

12.5. Results of PBT and VPVB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / 1	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

- * Packing group
- ** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application No special.

Demands for specific education No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.



Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

H301, Toxic if swallowed.

H302, Harmful if swallowed.

- H310, Fatal in contact with skin.
- H312, Harmful in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H330, Fatal if inhaled.
- H332, Harmful if inhaled.
- H335, May cause respiratory irritation.
- H360Fd, May damage fertility. Suspected of damaging the unborn child.
- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects.
- H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

- LCS "C" = Consumer uses: Private households (= general public = consumers)
- PROC 10 = Roller application or brushing
- PC 9a = Coatings and Paints, Fillers, Putties, Thinners

Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EuPCS = European Product Categorisation System
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- GWP = Global warming potential
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number



SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

ST

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en



SAFETY DATA SHEET

System 3 Acrylic Titanium White

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

System 3 Acrylic Titanium White

Product no.

D129xxx009

1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture

Art supplies and hobby preparations

Use descriptors (UK REACH)

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
Product category	Description
PC 9a	Coatings and Paints, Fillers, Putties, Thinners
Process category	Description
PROC 10	Roller application or brushing

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address Daler-Rowney Ltd.

Peacock Lane Bracknell RG12 8ST Bracknell United Kingdom +44 1344 461 156 (0730 – 1600 GMT) www.daler-rowney.com

Contact person

Research and Development Revision 08/05/2024

SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements Hazard pictogram(s) Not applicable. Signal word

Not applicable. Hazard statement(s) Not applicable.



Precautionary statement(s)
General
-
Prevention
-
Response
-
Storage
-
Disposal
Hazardous substances
None known.
Additional labelling
EUH208, Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).
May produce an allergic reaction. EUH210, Safety data sheet available on request.
2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

5.2. Mixture5				
Product/substance	Identifiers	% w/w	Classification	Note
2-aminoethanol;ethanolamine	e CAS No.: 141-43-5 EC No.: 205-483-3 UK-REACH: Index No.: 603-030-00-8	<1%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 4, H332 STOT SE 3, H335 Aquatic Chronic 3, H412	[1]
1,2-benzisothiazol-3(2H)- one;1,2-benzisothiazolin-3- one	CAS No.: 2634-33-5 EC No.: 220-120-9 UK-REACH: Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)	
3-iodo-2-propynyl butylcarbamate;3-iodoprop-2· yn-1-yl butylcarbamate	CAS No.: 55406-53-6 EC No.: 259-627-5 UK-REACH: Index No.: 616-212-00-7	<0.05%	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Diphenyl ether	CAS No.: 101-84-8 EC No.: 202-981-2 UK-REACH: Index No.:	<0.01%	Eye Irrit. 2, H319 Repr. 1B, H360Fd Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	[1]
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	CAS No.: 55965-84-9 EC No.: 611-341-5 UK-REACH:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310	
-				



one (3:1)

Index No.: 613-167-00-5

Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %) Eye Irrit. 2, H319 (SCL: 0.06 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.



5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] Long term exposure limit (8 hours) (mg/m³): 10(inhalable)/4(respirable)

Limestone

Long term exposure limit (8 hours) (mg/m³): 10(inhalable)/4(respirable)

2-aminoethanol;ethanolamine Long term exposure limit (8 hours) (ppm): 1 Long term exposure limit (8 hours) (mg/m³): 2,5 Short term exposure limit (15 minutes) (ppm): 3 Short term exposure limit (15 minutes) (mg/m³): 7,6 Annotations: Sk = Can be absorbed through the skin and lead to systemic toxicity.

Tetrasodium pyrophosphate Long term exposure limit (8 hours) (mg/m³): 5

Diphenyl ether Long term exposure limit (8 hours) (ppm): 1 Long term exposure limit (8 hours) (mg/m³): 7 Short term exposure limit (15 minutes) (ppm): 2 Short term exposure limit (15 minutes) (mg/m³): 14 The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Duration:Route of exposure:DNEL:Long tern – Systemic effects - General populationDermal345 µg/kg/wd/agLong tern – Systemic effects - WorkersInhalation1.2 mg/m³Long tern – Systemic effects - WorkersInhalation6.81 mg/m³2-arminoethanol;ethanolamineNEL:NEL:Duration:Route of exposure:S20 µg/m³Long tern – Systemic effects - General populationDermal1.5 mg/kg bw/dayLong tern – Systemic effects - WorkersInhalation280 µg/m³Long tern – Systemic effects - General populationInhalation280 µg/m³Long tern – Systemic effects - General populationInhalation150 µg/m³Long tern – Systemic effects - General populationInhalation150 µg/m³Long tern – Systemic effects - General populationInhalation150 µg/m³Long tern – Systemic effects - General populationInhalation1.5 mg/kg bw/dayLong tern – Systemic effects - General populationInhalation3.5 mg/m³Long tern – Systemic effects - General populationInhalation3.5 mg/m³Long tern – Systemic effects - General populationInhalation2.8 µg/m³Long tern – Local effects - General populationInhalation2.8 µg/m	1,2-Defizisotifiazof-5(211)-offe, 1,2-Defizisotifiazoff-5-offe	-	
Long term - Systemic effects - General populationInhalation1.2 mg/m³Long term - Systemic effects - WorkersInhalation6.81 mg/m³2-aminoethanol;ethanolamineRoute of exposure:NNEL:Long term - Systemic effects - General populationDermal1.5 mg/kg bw/dayLong term - Systemic effects - General populationDermal280 g/m³Long term - Systemic effects - WorkersDermal280 g/m³Long term - Local effect - General populationInhalation280 g/m³Long term - Systemic effects - General populationInhalation180 g/m³Long term - Systemic effects - General populationInhalation180 g/m³Long term - Systemic effects - General populationInhalation180 g/m³Long term - Systemic effects - General populationInhalation1.5 mg/kg bw/dayLong term - Systemic effects - General populationInhalation1.5 mg/kg bw/dayLong term - Systemic effects - General populationInhalation1.5 mg/kg bw/dayLong term - Systemic effects - General populationInhalation1.5 mg/kg bw/dayLong term - Systemic effects - General populationInhalation1.7 G.3 mg/m³Long term - Local effects - General populationInhalation28 g/g/m³Long term - Local effects - General populationInhalation28 g/g/m³	Duration:	Route of exposure:	DNEL:
Long term - Systemic effects - General populationInhalation1.2 mg/m³2-aminoethanol;ethanolamineRoute of exposure:DNEL:Long term - Systemic effects - General populationDermal3 mg/kg bw/dayLong term - Systemic effects - General populationInhalation280 µg/m³Long term - Local effects - General populationInhalation280 µg/m³Long term - Local effects - General populationInhalation180 µg/m³Long term - Systemic effects - General populationInhalation180 µg/m³Long term - Systemic effects - General populationInhalation180 µg/m³Long term - Systemic effects - General populationOral1.5 mg/kg bw/dayLong term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation17.63 mg/m³Long term - Systemic effects - General populationInhalation28 µg/m³Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation10 ng LPreshwater edimentInhalation28 µg/m³Long term - Local effects - WorkersInhalation10	Long term – Systemic effects - General population	Dermal	345 µg/kgbw/day
Long term - Systemic effects - Workers Inhalation 6.81 mg/m ³ 2-aminoethanol;ethanolarnine Puration: Route of exposure: DNEL: Long term - Systemic effects - General population Dermal 3.mg/kg bw/day Long term - Systemic effects - General population Inhalation 280 µg/m ³ Long term - Systemic effects - Workers Inhalation 180 µg/m ³ Long term - Systemic effects - General population Inhalation 180 µg/m ³ Long term - Systemic effects - General population Inhalation 180 µg/m ³ Long term - Systemic effects - General population Oral 1.5 mg/kg bw/day Long term - Systemic effects - General population Inhalation 4.35 mg/m ³ Long term - Systemic effects - General population Inhalation 1.6 mg/m ³ Long term - Systemic effects - General population Inhalation 4.35 mg/m ³ Long term - Systemic effects - General population Inhalation 28 µg/m ³ Long term - Local effects - General population Inhalation 28 µg/m ³ Long term - Local effects - General population Inhalation 28 µg/m ³ Long term - Local effects - Workers Inhalation 28 µg/m ³ <t< td=""><td>Long term – Systemic effects - Workers</td><td>Dermal</td><td>966 µg/kgbw/day</td></t<>	Long term – Systemic effects - Workers	Dermal	966 µg/kgbw/day
2-aminoethanol;ethanolamine Route of exposure: DNEL: Long term - Systemic effects - General population Dermal 1.5 mg/kg bw/day Long term - Systemic effects - Workers Dermal 3 mg/kg bw/day Long term - Local effects - General population Inhalation 280 µg/m ³ Long term - Systemic effects - Workers Inhalation 180 µg/m ³ Long term - Systemic effects - Workers Inhalation 1 mg/m ³ Long term - Systemic effects - General population Inhalation 1 mg/m ³ Long term - Systemic effects - General population Inhalation 1 mg/m ³ Long term - Systemic effects - General population Inhalation 4.35 mg/m ³ Long term - Systemic effects - General population Inhalation 4.35 mg/m ³ Long term - Systemic effects - General population Inhalation 4.35 mg/m ³ Long term - Systemic effects - General population Inhalation 7.63 mg/m ³ Long term - Local effects - General population Inhalation 28 µg/m ³ Long term - Local effects - General population Inhalation 28 µg/m ³ Long term - Local effects - Workers Inhalation 28 µg/m ³ Long term - Local effects - Workers Inhalation 28 µg/L NEC ************************************	Long term – Systemic effects - General population	Inhalation	1.2 mg/m ³
IvariantRoter of exposureNetLeiIngrem - Systemic effects - General populationPermain3 mg/kg Mu/dgIngrem - Systemic effects - General populationInhalation3 mg/kg Mu/dgIngrem - Systemic effects - General populationInhalation1 mg/mgIngrem - Systemic effects - General populationInhalation1 mg/mgIngrem - Systemic effects - General populationInhalation1 mg/mgIngrem - Systemic effects - General populationInhalationMingremIngrem - Systemic effects - General populationInhalation3 mg/mgIngrem - Systemic effects - General populationInhalation3 mg/mgIngrem - Systemic effects - General populationInhalation3 mg/mgIngrem - Systemic effects - General populationInhalation2 mg/mgIngrem - Systemic effects - General populationInhalation2 mg/mgIngrem - Systemic effects - General populationInhalation2 mg/mgIngrem - Local effects - MorkersInhalation2 mg/mgIngrem - Local effects - MorkersInhalation3 mg/mgInfert effects - MorkersInhalation3 mg/mgInfert effects - MorkersInhalation3 mg/mgInfert effect eff	Long term – Systemic effects - Workers	Inhalation	6.81 mg/m³
Long term - Systemic effects - General populationDermal1.5 mg/kg bw/dayLong term - Local effects - General populationInhalation280 µg/m³Long term - Local effects - General populationInhalation510 µg/m³Long term - Systemic effects - General populationInhalation180 µg/m³Long term - Systemic effects - General populationOral1.5 mg/kg bw/dayLong term - Systemic effects - General populationOral1.5 mg/kg bw/dayTetrasodium pyrophosphateVertaDNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - WorkersInhalation1.76.3 mg/m³Long term - Systemic effects - WorkersInhalation28 µg/m³Long term - Systemic effects - General populationInhalation28 µg/m³Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - General populationInhalation29 µg/m³Long term - Local effects - General populationInhalation29 µg/m³Long term - Local effects - WorkersNEC1.1 µg/LIntermittent release (freshwater)Inhalation403 µg/LPrestwater403 µg/L403 µg/LIntermittent release (freshwater)Inhalation403 µg/LIntermittent release (marine water)Inhalation403 µg/LMarine water sediment30 µg/L </td <td>2-aminoethanol;ethanolamine</td> <td></td> <td></td>	2-aminoethanol;ethanolamine		
Long term - Systemic effects - WorkersDermal3 mg/kg bw/dayLong term - Local effects - General populationInhalation280 µg/m³Long term - Local effects - WorkersInhalation180 µg/m³Long term - Systemic effects - General populationInhalation1 mg/m³Long term - Systemic effects - General populationOral1.5 mg/kg bw/dayTetrasodium pyrophosphateDuration0ral1.5 mg/m³Duration:Route of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation170 µg/m³NECIntermittent release (marine water)1.1 µg/LIntermittent release	Duration:	Route of exposure:	DNEL:
Long term - Local effects - General populationInhalation280 μg/m³Long term - Local effects - WorkersInhalation510 μg/m³Long term - Systemic effects - General populationInhalation180 μg/m³Long term - Systemic effects - WorkersInhalation1 mg/m³Long term - Systemic effects - General populationOral1. mg/m³Long term - Systemic effects - General populationOral1. mg/m³Duration:Route of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - General populationInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - WorkersInhalation10 μg/m³NECIntermittent release (freshwater)Inhalation10 μg/m³NECIntermi	Long term – Systemic effects - General population	Dermal	1.5 mg/kg bw/day
Long term - Local effects - WorkersInhalation510 μg/m³Long term - Systemic effects - General populationInhalation180 μg/m³Long term - Systemic effects - General populationOral1.5 mg/kg bw/dayTetrasodium pyrophosphateUnation4.35 mg/m³Duration:Rout of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation28 μg/m³Long term - Systemic effects - WorkersInhalation28 μg/m³Long term - Local effects - General populationInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - WorkersInhalation170 μg/m³NEC1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-onePNEC:Route of exposure:403 μg/L11 μg/LIntermittent release (freshwater)1,1 μg/LIntermittent release (freshwater)1,1 μg/LIntermittent release (freshwater)1,0 3 mg/LSoll3 mg/kgSewage treatment plant1,03 mg/LSoll3 mg/kg<	Long term – Systemic effects - Workers	Dermal	3 mg/kg bw/day
Long term - Systemic effects - General populationInhalation180 μg/m³Long term - Systemic effects - General populationOral1.5 mg/kg bw/dayTetrasodium pyrophosphateNullNullDuration:Route of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation17.63 mg/m³Long term - Systemic effects - WorkersInhalation17.63 mg/m³Long term - Local effects - General populationInhalation28 μg/m³Long term - Local effects - General populationInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - WorkersInhalation28 μg/m³Long term - Local effects - WorkersInhalation170 μg/m³NECInhalation28 μg/m³110 μg/LLong term - Local effects - WorkersInhalation19.9 μg/kgIntermittent release (freshwater)11 μg/L111 μg/LIntermittent release (freshwater)11 μg/L11 μg/LIntermittent release (freshwater)103 mg/L3 mg/kgSoil3 mg/kg3 mg/kg3 mg/kgSoil3 mg/kg3 mg/kg3 mg/kgFreshwater sediment104 freshwater103 mg/LFreshwater sediment357 μg/kg357 μg/kgIntermittent release (freshwater)357 μg/kgIntermittent release (freshwa	Long term – Local effects - General population	Inhalation	280 μg/m³
Long term - Systemic effects - WorkersInhalation1 mg/m³Long term - Systemic effects - General populationOral1.5 mg/kg bw/dayTetrasodium pyrophosphateRoute of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - General populationInhalation17.63 mg/m³Long term - Systemic effects - WorkersInhalation17.63 mg/m³Long term - Systemic effects - General populationInhalation28 µg/m³Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation170 µg/m³NECInhalation170 µg/m³Income term - Local effects - WorkersDuration of Exposure:PNEC:Route of exposure:PNEC:11 µg/LIntermittent release (freshwater)1.1 µg/LIntermittent release (freshwater)1.1 µg/LIntermittent release (freshwater)1.03 mg/LSoil3 mg/kgSewage treatment plant1.03 mg/LSoil3 mg/kgPreshwater sediment57 µg/kgIntermittent release (freshwater)29 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)357 µg/kgIntermittent release (freshwater)357 µg/kgIntermittent release (freshwater)357 µg/kg <tr <tr="">Intermittent</tr>	Long term – Local effects - Workers	Inhalation	510 μg/m³
Long term - Systemic effects - General populationOral1.5 mg/kg bw/dagTetrasodium pyrophosphateRoute of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - WorkersInhalation17.63 mg/m³Duration:Route of exposure:10 µm]Duration:Route of exposure:NEL:Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - General populationInhalation28 µg/m³Ing term - Local effects - WorkersInhalation28 µg/m³Ing term - Local effects - WorkersVertice - Main exposure:40.3 µg/LIntermittent release (freshwater)In µg/L11 µg/LIntermittent release (freshwater)In µg/L10 µg/LArrine water sedimentIn µg/L10 µg/LSoilIntermittent release (freshwater)In µg/LIntermittent release (freshwater)Intermittent release (freshwater)10 µg/LIntermittent release (freshwater)Intermitent release (freshwate	Long term – Systemic effects - General population	Inhalation	180 µg/m³
Tetrasodium pyrophosphate Route of exposure: DNEL: Long term - Systemic effects - General population Inhalation 4.35 mg/m³ Long term - Systemic effects - Workers Inhalation 17.63 mg/m³ titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] Duration: Route of exposure: NEL: Long term - Local effects - General population Inhalation 28 µg/m³ Long term - Local effects - Workers Inhalation 28 µg/m³ Long term - Local effects - Workers Inhalation 28 µg/m³ Long term - Local effects - Workers Inhalation 28 µg/m³ Long term - Local effects - Workers Inhalation 70 µg/m³ NEC	Long term – Systemic effects - Workers	Inhalation	1 mg/m³
Duration:Route of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - WorkersInhalation17.63 mg/m³Duration:Route of exposure:10 µm]Duration:Route of exposure:10 µm]Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation490 µg/m³Local effects - WorkersVertion of Exposure:49.9 µg/kgIntermittent release (freshwater)I.1 µg/L110 ng/LMarine water403 ng/L49.9 µg/kgSoilJoardion of Exposure:49.9 µg/kgSoilJoardion of Exposure:49.9 µg/kgPreshwater sedimentJoa µg/L3 ng/kgAutier of exposure:Yeng/L35 µg/kgIntermittent release (freshwater)357 µg/kgIntermittent release (freshwater)28 µg/LIntermittent release (freshwater)28 µg/L<	Long term – Systemic effects - General population	Oral	1.5 mg/kg bw/day
Duration:Route of exposure:DNEL:Long term - Systemic effects - General populationInhalation4.35 mg/m³Long term - Systemic effects - WorkersInhalation17.63 mg/m³Duration:Route of exposure:10 µm]Duration:Route of exposure:10 µm]Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation28 µg/m³Long term - Local effects - WorkersInhalation490 µg/m³Local effects - WorkersVertion of Exposure:49.9 µg/kgIntermittent release (freshwater)I.1 µg/L110 ng/LMarine water403 ng/L49.9 µg/kgSoilJoardion of Exposure:49.9 µg/kgSoilJoardion of Exposure:49.9 µg/kgPreshwater sedimentJoa µg/L3 ng/kgAutier of exposure:Yeng/L35 µg/kgIntermittent release (freshwater)357 µg/kgIntermittent release (freshwater)28 µg/LIntermittent release (freshwater)28 µg/L<	Tetrasodium pyrophosphate		
Long term - Systemic effects - WorkersInhalation17.63 mg/m³titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter < 10 µm]		Route of exposure:	DNEL:
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] Duration: Route of exposure: DNEL: Long term - Local effects - General population Inhalation 28 µg/m³ Long term - Local effects - Workers Inhalation 28 µg/m³ NEC 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one Puration of Exposure: PNEC: Ruet of exposure: 4.03 µg/L 9.9 µg/kg Intermittent release (freshwater) 1.1 µg/L 1.1 µg/L Intermittent release (marine water) 100 ng/L 4.93 µg/kg Sewage treatment plant 4.93 µg/kg 9.9 µg/kg Sewage treatment plant 1.03 mg/L 3 mg/kg 2-aminoethanol;ethanolamine 3 mg/kg 3 mg/kg 2-aminoethanol;ethanolamine 25 µg/L 70 µg/L Freshwater sediment 357 µg/kg 357 µg/kg Intermittent release (freshwater) 357 µg/kg 357 µg/kg	Long term – Systemic effects - General population	Inhalation	4.35 mg/m ³
Duration:Route of exposure:DNEL:Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation170 µg/m³Comparing term - Local effects - WorkersInhalation170 µg/m³NCCInhalation170 µg/m³1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-onePUREC:PUREC:Route of exposure:4.03 µg/L4.03 µg/LFreshwater4.03 µg/L4.99 µg/kgIntermittent release (freshwater)1.1 µg/LIntermittent release (marine water)110 ng/LMarine water sediment4.03 ng/LMarine water sediment4.99 µg/kgSoil1.03 mg/L2-aminoethanol,ethanolamine1.03 mg/LRoute of exposure:70 µg/LFreshwater sediment357 µg/kgFreshwater28 µg/LMarine water357 µg/kg	Long term – Systemic effects - Workers	Inhalation	17.63 mg/m ³
Duration:Route of exposure:DNEL:Long term - Local effects - General populationInhalation28 µg/m³Long term - Local effects - WorkersInhalation170 µg/m³Comparing term - Local effects - WorkersInhalation170 µg/m³NCCInhalation170 µg/m³1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-onePUREC:PUREC:Route of exposure:4.03 µg/L4.03 µg/LFreshwater4.03 µg/L4.99 µg/kgIntermittent release (freshwater)1.1 µg/LIntermittent release (marine water)110 ng/LMarine water sediment4.03 ng/LMarine water sediment4.99 µg/kgSoil1.03 mg/L2-aminoethanol,ethanolamine1.03 mg/LRoute of exposure:70 µg/LFreshwater sediment357 µg/kgFreshwater28 µg/LMarine water357 µg/kg	titanium dioxide [.] Jin powder form containing 1 % or mo	pre of particles with aerodynamic dia	neter < 10 µm]
Long term - Local effects - General populationInhalation28 μg/m³Long term - Local effects - WorkersInhalation170 μg/m³NEC1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-onePUration of Exposure:PNEC:Route of exposure:4.03 μg/L4.03 μg/LFreshwater4.03 μg/L1.1 μg/LIntermittent release (freshwater)1.1 μg/LIntermittent release (freshwater)1.1 μg/LMarine water403 ng/LMarine water sediment4.03 μg/LSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamineNuration of Exposure:PNEC:Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)357 μg/kgMarine water sediment357 μg/kgAnarie water sediment357 μg/kgMater Mater Sediment357 μg/kgFreshwater Sediment28 μg/LMarine water Sediment357 μg/kgFreshwater Sediment357 μg/kg <td></td> <td>• •</td> <td>•</td>		• •	•
NEC 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one Route of exposure: PNEC: Freshwater 4.03 µg/L Freshwater sediment 4.03 µg/L Intermittent release (freshwater) 1.1 µg/L Intermittent release (freshwater) 1.1 µg/L Intermittent release (marine water) 403 ng/L Marine water 403 ng/L Marine water sediment 4.99 µg/kg Sewage treatment plant 1.03 mg/L Soil 3 mg/kg 2-aminoethanol;ethanolamine Route of exposure: PNEC: Freshwater sediment 70 µg/L Freshwater sediment 357 µg/kg Intermittent release (freshwater) 28 µg/L Marine water Marine water 17 µg/L	Long term – Local effects - General population	-	28 µg/m³
1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-oneDuration of Exposure:PNEC:Route of exposure:4.03 µg/LFreshwater4.9.9 µg/kgIntermittent release (freshwater)1.1 µg/LIntermittent release (marine water)110 ng/LMarine water403 ng/LMarine water sediment4.99 µg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine3 mg/kgRoute of exposure:70 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)28 µg/LMarine water sediment28 µg/L	Long term – Local effects - Workers	Inhalation	170 µg/m³
1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-oneDuration of Exposure:PNEC:Route of exposure:4.03 µg/LFreshwater4.99 µg/kgIntermittent release (freshwater)1.1 µg/LIntermittent release (marine water)110 ng/LMarine water403 ng/LMarine water sediment4.99 µg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine3 mg/kgRoute of exposure:70 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)28 µg/LMarine water sediment28 µg/L			
Route of exposure:PUREC:Freshwater4.03 µg/LFreshwater sediment49.9 µg/kgIntermittent release (freshwater)1.1 µg/LIntermittent release (marine water)101 ng/LMarine water403 ng/LMarine water sediment4.99 µg/kgSewage treatment plant1.03 mg/LSoil3 mg/kgParation of Exposure:9.04 µg/kgFreshwater70 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)28 µg/LMarine water1.03 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)70 µg/L			
Freshwater sediment49.9 μg/kgIntermittent release (freshwater)1.1 μg/LIntermittent release (marine water)110 ng/LMarine water403 ng/LMarine water sediment4.99 μg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine90 μg/LFreshwater sediment70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water sediment7 μg/L			PNEC:
Intermittent release (freshwater)1.1 μg/LIntermittent release (marine water)110 ng/LMarine water403 ng/LMarine water sediment4.99 μg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine9Route of exposure:PNEC:Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	Freshwater		4.03 µg/L
Intermittent release (marine water)110 ng/LMarine water403 ng/LMarine water sediment4.99 µg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine9Route of exposure:PNEC:Freshwater70 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)28 µg/LMarine water7 µg/L	Freshwater sediment		49.9 µg/kg
Marine water403 ng/LMarine water sediment4.99 µg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine3 mg/kgPNet of exposure:PNEC:Freshwater70 µg/LFreshwater sediment357 µg/kgIntermittent release (freshwater)28 µg/LMarine water7 µg/L	Intermittent release (freshwater)		1.1 µg/L
Marine water sediment4.99 μg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine9NEC:Route of exposure:70 μg/LFreshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	Intermittent release (marine water)		
Marine water sediment4.99 μg/kgSewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolamine9NEC:Route of exposure:70 μg/LFreshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	Marine water		403 ng/L
Sewage treatment plant1.03 mg/LSoil3 mg/kg2-aminoethanol;ethanolaminePNEC:Route of exposure:PNEC:Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	Marine water sediment		-
Soil3 mg/kg2-aminoethanol;ethanolaminePNEC:Route of exposure:PNEC:Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	Sewage treatment plant		
Route of exposure:Duration of Exposure:PNEC:Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L			
Route of exposure:Duration of Exposure:PNEC:Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	2-aminoethanol:ethanolamine		
Freshwater70 μg/LFreshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	-	Duration of Exposure:	PNEC:
Freshwater sediment357 μg/kgIntermittent release (freshwater)28 μg/LMarine water7 μg/L	-	•	
Intermittent release (freshwater)28 μg/LMarine water7 μg/L			
Marine water 7 µg/L			
	Marine water sediment		35.7 µg/kg



Sewage treatment plant	100 mg/L
Soil	1.29 mg/kg

Tetrasodium pyrophosphate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		50 μg/L
Intermittent release (freshwater)		500 µg/L
Marine water		5 μg/L
Sewage treatment plant		50 mg/L

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	2,0	> 480	EN374-2, EN374-3, EN388, EN407	

Eye protection

No specific requirements.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state
- Liquid
- Colour

Testing not relevant or not possible due to the nature of the product.

Odour / Odour threshold

Characteristic

рΗ

Testing not relevant or not possible due to the nature of the product.



Density (g/cm³) Testing not relevant or not possible due to the nature of the product. **Kinematic viscosity** Testing not relevant or not possible due to the nature of the product. Particle characteristics Does not apply to liquids. Phase changes Melting point/Freezing point (°C) Testing not relevant or not possible due to the nature of the product. Softening point/range (waxes and pastes) (°C) Does not apply to liquids. Boiling point (°C) Testing not relevant or not possible due to the nature of the product. Vapour pressure Testing not relevant or not possible due to the nature of the product. Relative vapour density Testing not relevant or not possible due to the nature of the product. Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards Flash point (°C) Testing not relevant or not possible due to the nature of the product. Flammability (°C) Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. Solubility Solubility in water Testing not relevant or not possible due to the nature of the product. n-octanol/water coefficient (LogKow) Testing not relevant or not possible due to the nature of the product. Solubility in fat (q/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Oxidizing properties Testing not relevant or not possible due to the nature of the product. Other physical and chemical parameters No data available. SECTION 10: Stability and reactivity 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information



11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met. Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] has been classified by IARC as a group 2B carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

- No data available.
- 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

- No data available.
- 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.



Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN /	14.2 ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

- H301, Toxic if swallowed.
- H302, Harmful if swallowed.
- H310, Fatal in contact with skin.
- H312, Harmful in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H330, Fatal if inhaled.
- H331, Toxic if inhaled.
- H332, Harmful if inhaled.



H335, May cause respiratory irritation. H360Fd, May damage fertility. Suspected of damaging the unborn child. H372, Causes damage to organs through prolonged or repeated exposure. H400, Very toxic to aquatic life. H410, Very toxic to aquatic life with long lasting effects. H412, Harmful to aquatic life with long lasting effects. The full text of identified uses as mentioned in section 1 LCS "C" = Consumer uses: Private households (= general public = consumers) PROC 10 = Roller application or brushing PC 9a = Coatings and Paints, Fillers, Putties, Thinners Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by ST Other A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety

data sheet cannot be used as a product specification.

Country-language: GB-en