

## SAFETY DATA SHEET

**DALER ♦ ROWNEY**

DAMAR VARNISH

**1 . IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

**Product Name** DAMAR VARNISH  
**Supplier** DALER-ROWNEY LTD, PEACOCK LANE , BRACKNELL, RG12 8SS, ENGLAND.  
 Emergency tel : +44 (0) 1344 461000/ fax : +44 (0) 1344 486511  
 E-mail contact : tom.stagles@daler-rowney.com

**Product No.** 114 000 004  
**Application** VARNISH

**2 . HAZARDS IDENTIFICATION**

**Classification (67/548).** Harmful by inhalation, in contact with skin and if swallowed. Harmful: may cause lung damage if swallowed. Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CLASSIFICATION Xn;R20/21/22, R65. Xi;R36/38. R43. N;R51/53.

**3 . COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No	Cas. No	Content	Classification (67/548)
TURPENTINE OIL	232-350-7	8006-64-2	60 - 65%	Xn;R20/21/22,R65. Xi;R36/38. N;R51/53.

The Full Text for all R-Phrases are Displayed in Section 16

**4. FIRST-AID MEASURES****Inhalation**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**Skin contact**

Wash off with soap and plenty of water. Consult a physician.

**Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Ingestion**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**5 . FIRE-FIGHTING MEASURES****Extinguishing Media**

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water

**Special Fire Fighting Procedures**

## SAFETY DATA SHEET

DALER ♦ ROWNEY

DAMAR VARNISH

No data available

**6 . ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Spill Cleanup Methods**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations

**7. HANDLING AND STORAGE****Usage Precautions Usage**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.  
Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**Storage Precautions**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage

**8 . EXPOSURE CONTROLS/PERSONAL PROTECTION**

Components	CAS-No.	EC No	Value	Control parameters	Basis
Turpentine	8006-64-2	232-350-7	TWA (8 hours)	100 ppm 566 mg/m <sup>3</sup>	UK. EH40 WEL - Workplace Exposure Limits
			STEL (15 min)	150 ppm 850 mg/m <sup>3</sup>	UK. EH40 WEL - Workplace Exposure Limits

**Protective Equipment****Eye / face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace

## SAFETY DATA SHEET

DALER ♦ ROWNEY

DAMAR VARNISH

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical form</b>	Liquid
<b>Colour</b>	Brown
<b>Odour</b>	Pungent
<b>pH</b>	No data available
<b>Melting point</b>	-55 °C
<b>Boiling point</b>	153 - 175 °C
<b>Flash point</b>	26 °C - closed cup
<b>Ignition temperature</b>	233 °C
<b>Lower explosion limit</b>	0.8 %(V)
<b>Upper explosion limit</b>	6 %(V)
<b>Vapour pressure</b>	5 hPa at 20 °C
<b>Density</b>	1.08 kg/l at 23 °C
<b>Water solubility</b>	Insoluble
<b>VOC</b>	0.685 kg/l

**10. STABILITY AND REACTIVITY****Reactivity**

May soften oil or acrylic coatings

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of hazardous reactions**

Strong oxidizing agents

**Conditions to Avoid**

Heat, flames and sparks

**Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

**11. TOXICOLOGICAL INFORMATION****Skin corrosion/irritation**

Skin - rabbit - Severe skin irritation - Draize Test

**Serious eye damage/irritation**

Causes serious eye irritation

**Respiratory or skin sensitisation**

May cause allergic skin reaction

## SAFETY DATA SHEET

DALER ♦ ROWNEY

DAMAR VARNISH

**CMR effects**

no data available

**Other information**

Harmful if inhaled. Causes respiratory tract irritation. Harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage. Harmful if absorbed through skin. Causes skin irritation. Causes serious eye irritation.

**12 . ECOLOGICAL INFORMATION****Mobility**

no data available

**13. DISPOSAL CONSIDERATIONS****Disposal Methods**

Dispose of as Special Waste, via a licensed contractor ensuring that all national and local authority requirements are complied with

**Disposal of Packaging**

Contaminated packing should be disposed of as Special Waste, as above, according to local authority guidelines. Washed and decontaminated packing may be disposed of as Controlled Waste. Washings should be disposed of as Special Waste, as above, according to local authority guidelines.

**14 . TRANSPORT INFORMATION****ADR/RID**

**UN-Number:** 1299 Class: 3 Packing group: III

Proper shipping name: TURPENTINE

**IMDG**

**UN-Number:** 1299 Class: 3 Packing group: III EMS-No: F-E, S-E

Proper shipping name: TURPENTINE

Marine pollutant: No

**IATA**

**UN-Number:** 1299 Class: 3 Packing group: III

Proper shipping name: TURPENTINE

**15. REGULATORY INFORMATION****Labelling**

Harmful



Dangerous for the Environment

**Risk Phrases**

## SAFETY DATA SHEET

**DALER ♦ ROWNEY**

**DAMAR VARNISH**

R10	Flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36/38	Irritating to eyes and skin
R43	May cause sensitisation by skin contact
R65	Harmful: may cause lung damage if swallowed
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Safety Phrases

S2	Keep out of the reach of children
S36/37	Wear suitable protective clothing and gloves
S61	Avoid release to the environment. Refer to special instructions/safety data sheet
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

### EU Directives

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. System of specific information relating to Dangerous Preparations. 2001/58/EC.

## 16. OTHER INFORMATION

### Date

### Risk Phrases in Full

R10	Flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36/38	Irritating to eyes and skin
R43	May cause sensitisation by skin contact
R65	Harmful: may cause lung damage if swallowed
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.