Article Print o Versio	date	130XXXXXX 15.02.2017 1.0	ARTIST WATERCOL Revision date 15.02.2 Issue date 29.12.201	2017	EN Page 1 / 6	
1.	Identifica	tion of the subst	ance/mixture and of	f the company/und	ertaking	
1.1.	Identificatio	(manufacturer/suppon of the substance	or mixture	130XXXXXX ARTIST WATERCOL		
1.2.			he substance or mixtu	ire and uses advised	against	
1.3.	<b>Supplier (r</b> Daler-Rown Peacock La Bracknell, I ENGLAND	manufacturer/impo ney Ltd ane RG12 8SS	-	r/ <b>distributor):</b> Telephone: +44 (0) 13 Telefax: +44 (0) 1344		
	Dept. resp	onsible for inform	ation:			
1.4.	E-mail <b>Emergenc</b>	y telephone numb		Philip.Gray@daler-rov	vney.com	
	-	telephone:		+44 (0) 1344 461000		
2.	Hazards i	dentification				
2.1.	Classificat	-	Regulation (EC) No. 12 bt hazardous according		72/2008 [CLP].	
2.2.	-	ct is classified and I according to Regu	abelled according to EC lation (EC) No. 1272/2	-	onding national laws.	
		n.a. nary statements	LLOWED: rinse mouth.		iting	
	contains:	50 T F 331 IF 3VVF	LLOWED. IIIse IIIoulii.		iung.	
	vontulli3.	n.a.				
		ntal Hazard inforn n.a.	ation (EU)			
2.3.	Other haza	ards				
3.	Composi	tion / Informatio	n on ingredients			
3.2.	Mixtures					
		-	cal characterization			
	Descriptio		Color			
		REACH Chemie	Regulation (EC) No. 12 I No. cal name cation:	272/2008 [CLP]		Wt % Remark
	Additional	n.a.				

Additional information Full text of classification: see section 16

Article No.:	130XXXXXX	ARTIST WATERCOLOURS TUBES		
Print date	15.02.2017	Revision date 15.02.2017	EN	
Version	1.0	Issue date 29.12.2016	Page 2 / 6	

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with molten product, cool skin area rapidly with cold water. Allow stiffening. Take up mechanically. When in doubt or if symptoms are observed, get medical advice.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). When in doubt or if symptoms are observed, get medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

## 5. Firefighting measures

## 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

## Extinguishing media which must not be used for safety reasons:

strong water jet

# 5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

## 5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

## Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

## 6. Accidental release measures

6.1. **Personal precautions, protective equipment and emergency procedures** See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. **Methods and material for containment and cleaning up** Take up mechanically, placing in appropriate containers for disposal. Clean using cleansing agents. Do not use solvents.

#### 6.4. **Reference to other sections** Observe protective provisions (see chapter 7 and 8).

## 7. Handling and storage

## 7.1. Precautions for safe handling

## Advices on safe handling

Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Usual measures for fire prevention.

## 7.2. Conditions for safe storage, including any incompatibilities

Article No.:	130XXXXXX	ARTIST WATERCOLOURS TUBES		
Print date	15.02.2017	Revision date 15.02.2017	EN	
Version	1.0	Issue date 29.12.2016	Page 3 / 6	

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

## Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed.

## 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## 8. Exposure controls / Personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

n.a.

## 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

## **Occupational exposure controls**

### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye protection

Wear closely fitting protective glasses in case of splashes.

### **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

## Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

## Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance:				
Physical state	liquid			
Colour	refer to label			
Odour	characteristic			
Safety relevant basis data		Unit	Method	Remark
Flash point (°C)	n.a.			
Ignition temperature in °C:	n.a.			
Lower explosion limit	n.a.			
Upper explosion limit	n.a.			
Vapour pressure at 20 °C:	n.a.			
Density at 20 °C:	1,00	g/cm³		
Water solubility (g/L)	completely miscible			
pH at 20 °C:	-			
Viscosity at 20 °C	> 30	mPa∙s		
Solvent separation test (%)	< 3	%		
Solid content (%):	80,00	Wt %		
solvent content:				

Article Print o Versio	date 15.0	XXXXXX )2.2017	ARTIST WATERCOLOURS TUBES Revision date 15.02.2017 Issue date 29.12.2016	EN Page 4 / 6
	Organic solve Water:	nts::	0 Wt % 20 Wt %	
9.2.	Other informati	on:		
10.	Stability and r	eactivity		
10.1.	Reactivity			
	Chemical stabil	•	commended regulations for storage and	handling. Further information on correct storage: refer to
10.3.	Possibility of ha		actions s, strong bases and strong oxidizing age	nts to avoid exothermic reactions.
10.4.		lying the real	commended regulations for storage and position byproducts may form with expo	handling. Further information on correct storage: refer to sure to high temperatures.
10.5.	Incompatible m	aterials		
10.6.		mposition b		gh temperatures, e.g.: carbon dioxide, carbon monoxide, °C
11.	Toxicological	informatio	on	
	Classification ac No data on prep		Regulation (EC) No. 1272/2008 [CLP] available.	
11.1.	Information on	toxicologic	al effects	
	Acute toxicity			
	Toxicological da	a are not av	vailable.	
	skin corrosion/	rritation; S	erious eye damage/eye irritation	
	Toxicological da	a are not av	vailable.	
	Respiratory or s	skin sensiti	sation	
	Toxicological da			
	•	-	ity, mutagenicity and toxicity for repro	oduction)
	Toxicological da			
	Specific target	-	-	
	Toxicological da		vailable.	
	Aspiration haza			
	Toxicological da			
	Practical experi		n evidence	
	Other observation	-		
	Overall Assess			
	-	n this mixtu	re do not meet the criteria for classification	on as CMR category 1A or 1B according to CLP.
	Remark			
	There is no infor	mation avail	able on the preparation itself .	
12.	Ecological inf	ormation		
	There is no infor	cording to R mation avail	Regulation (EC) No. 1272/2008 [CLP] able on the preparation itself . rface water or drains.	
12.1.	<b>Toxicity</b> No information a	vailable.		
	Long-term Ecot Toxicological da	-	zilahla	
	i onicological ua			

## 12.2. Persistence and degradability

Article Print o Versio	date	130XXXXXX 15.02.2017 1.0	ARTIST WATERCOLOURS TUBES Revision date 15.02.2017 Issue date 29.12.2016	EN Page 5 / 6
	Toxicologica	al data are not avai	able.	
12.3.		lative potential		
	-	al data are not avai		
		tration factor (BCI	-	
40.4	-	al data are not avai	able.	
12.4.	Mobility in	<b>soli</b> al data are not avai	able	
12.5.	-	PBT assessment		
	The substar	nces in the mixture	do not meet the PBT/vPvB criteria accord	ding to REACH, annex XIII.
12.6.	Other adve	rse effects		
13.	Disposal of	considerations		
13.1.	Waste treat	tment methods		
	Appropriat	e disposal / Produ	ct	
	Recommen			
			ace water or drains. This material and its 2008/98/EC, covering waste and danger	s container must be disposed of in a safe way. Waste ous waste.
	-	-	s/waste designations in accordance w	
	080112	waste p	aint and varnish other than those mention	ned in 080111
	packaging Recommer	dation		
			nay be recycled. Vessels not properly em	ptied are special waste.
14.		information		· ·
	-		of this transport regulation.	
14.1.	UN number	<b>J</b>		
			n.a.	
14.2.	UN proper s	hipping name		
1/1 3	Transport h	azard class(es)		
14.5.	Transport n	azalu class(es)	n.a.	
14.4.	Packing gr	oup		
			n.a.	
14.5.		ntal hazards		
	-	ort (ADR/RID)	n.a.	
14.6	Marine pollu		n.a.	
14.0.		cautions for user	right and safe containers. Make sure that	persons transporting the product know what to do in
		accident or leakage		
	Advices on	safe handling: see	parts 6 - 8	
	Additional	information		
	Land trans	port (ADR/RID)		
	tunnel restri		-	
	Sea transp	ort (IMDG)		
	EmS-No.		n.a.	
14.7.	Transport i	n bulk according	to Annex II of MARPOL and the IBC Co	ode
	not applicat	ble		
15.	Regulator	y information		
15.1.	Safetv. hea	Ith and environme	ental regulations/legislation specific fo	or the substance or mixture

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation

Article No.: Print date Version	130XXXXXX 15.02.2017 1.0	ARTIST WATERCOLOURS TUBES Revision date 15.02.2017 Issue date 29.12.2016	EN Page 6 / 6	

# Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline). VOC-value (in g/L) ISO 11890-2: 0

VOC-value (in g/L) ASTM D 2369:

0 0

## **National regulations**

## **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## Other regulations, restrictions and prohibition regulations

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

## 16. Other information

Full text of classification in section 3:

## Additional information

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

Article Print Versie		130XXXXXX 15.02.2017 1.0	ARTIST WATERCOL Revision date 15.02.2 Issue date 29.12.2010	2017	EN Page 1 / 6	
1.	Identificati	on of the subs	tance/mixture and of	the company/und	lertaking	
1.1.	Article No. (r Identification	nanufacturer/sup of the substance	e or mixture A	130XXXXXX ARTIST WATERCOL		
1.2.			the substance or mixtu	re and uses advised	d against	
1.3.			e safety data sheet	, <b></b>		
	Daler-Rowne Peacock Lar Bracknell, Re ENGLAND	ey Ltd		7 <b>aistributor):</b> Felephone: +44 (0) 13 Felefax: +44 (0) 1344		
	Dept. respo	nsible for inform	nation:			
1.4.	E-mail <b>Emergency</b>	telephone numb		Philip.Gray@daler-rov	vney.com	
1.4.	Emergency t			-44 (0) 1344 461000		
2.	Hazards id	entification				
2.1.	Classificatio	on of the substa	nce or mixture			
	Classificatio	on according to	Regulation (EC) No. 12	72/2008 [CLP]		
	This mixture	is classified as n	ot hazardous according t	to regulation (EC) 12	72/2008 [CLP].	
2.2.	Label eleme					
	-		labelled according to EC		onding national laws.	
			ulation (EC) No. 1272/20	008 [CLP]		
	Hazard pict	ograms				
	Hazard state					
	Brocoutions	n.a.				
		ary statements ) + P331 IF SWA	ALLOWED: rinse mouth.	Do NOT induce vom	itina.	
	contains:				5	
		n.a.				
	Supplement	tal Hazard inform	nation (EU)			
2.3.	Other hazar	n.a. ds				
3.			n on ingredients			
3.2.	Mixtures					
5.2.		scription / chemi	ical characterization			
	Description	-				
	Hazardous		-			
		on according to	Regulation (EC) No. 12	72/2008 [CLP]		
	EC No.	REACI				
	EC No. CAS No.	Chemi	cal name			Wt %
	EC No.	Chemi				Wt % Remark
	EC No. CAS No.	Chemi	cal name			

Full text of classification: see section 16

Article No.:	130XXXXXX	ARTIST WATERCOLOUR PANS	
Print date	15.02.2017	Revision date 15.02.2017	EN
Version	1.0	Issue date 29.12.2016	Page 2 / 6

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

## In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with molten product, cool skin area rapidly with cold water. Allow stiffening. Take up mechanically. When in doubt or if symptoms are observed, get medical advice.

### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). When in doubt or if symptoms are observed, get medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

## 5. Firefighting measures

## 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

## Extinguishing media which must not be used for safety reasons:

strong water jet

# 5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

## 5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

## Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

## 6. Accidental release measures

6.1. **Personal precautions, protective equipment and emergency procedures** See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. **Methods and material for containment and cleaning up** Take up mechanically, placing in appropriate containers for disposal. Clean using cleansing agents. Do not use solvents.

#### 6.4. **Reference to other sections** Observe protective provisions (see chapter 7 and 8).

## 7. Handling and storage

## 7.1. Precautions for safe handling

## Advices on safe handling

Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Usual measures for fire prevention.

## 7.2. Conditions for safe storage, including any incompatibilities

Article No.:	130XXXXXX	ARTIST WATERCOLOUR PANS		
Print date	15.02.2017	Revision date 15.02.2017	EN	
Version	1.0	Issue date 29.12.2016	Page 3 / 6	

## Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

## Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## 8. Exposure controls / Personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

n.a.

## 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

## Occupational exposure controls

### **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye protection

Wear closely fitting protective glasses in case of splashes.

### **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

## Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

## Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance:					
Physical state	solid				
Colour	refer to label				
Odour	characteristic				
Safety relevant basis data		Unit	Method	Remark	
Flash point (°C)	n.a.				
Ignition temperature in °C:	n.a.				
Lower explosion limit	n.a.				
Upper explosion limit	n.a.				
Vapour pressure at 20 °C:	n.a.				
Density at 20 °C:	1,00	g/cm³			
Water solubility (g/L)	completely miscible				
pH at 20 °C:	-				
Viscosity at 20 °C	> 30	mPa·s			
Solvent separation test (%)	< 3	%			
Solid content (%):	90,00	Wt %			
solvent content:					

Article Print o Versio	date	130XXXXXX 15.02.2017 1.0	ARTIST WATERCOLOUR PANS Revision date 15.02.2017 Issue date 29.12.2016	EN Page 4 / 6
	Organic so Water:	olvents::	0 Wt% 10 Wt%	
9.2.	Other inform	nation:		
10.	Stability a	nd reactivity		
10.1.	Reactivity			
	Chemical st	-	commended regulations for storage and	handling. Further information on correct storage: refer to
10.3.	•	of hazardous rea	actions s, strong bases and strong oxidizing ager	nts to avoid exothermic reactions.
10.4.		applying the rec	commended regulations for storage and position byproducts may form with expos	handling. Further information on correct storage: refer to sure to high temperatures.
10.5.	Incompatib	le materials		
10.6.	Hazardous o			h temperatures, e.g.: carbon dioxide, carbon monoxide, 'C
11.	Toxicologi	cal informatio	n	
		n according to Re preparation itself	egulation (EC) No. 1272/2008 [CLP] available.	
11.1.	Information	on toxicologica	al effects	
	Acute toxic	ity		
	Toxicologica	I data are not av	ailable.	
	skin corros	ion/irritation; Se	erious eye damage/eye irritation	
	Toxicologica	I data are not av	ailable.	
	Respiratory	or skin sensitis	sation	
	Toxicologica	I data are not av	ailable.	
	CMR effects	s (carcinogenici	ty, mutagenicity and toxicity for repro	duction)
	Toxicologica	I data are not av	ailable.	
	Specific tar	get organ toxici	ty	
	Toxicologica	I data are not av	ailable.	
	Aspiration I	hazard		
	Toxicologica	I data are not av	ailable.	
	Practical ex	perience/huma	n evidence	
	Other observ	vations:		
		essment on CM		
	The ingredie	ents in this mixtur	e do not meet the criteria for classification	n as CMR category 1A or 1B according to CLP.
	Remark			
	There is no i	information availa	able on the preparation itself .	
12.	Ecological	information		
	There is no i	n according to Reinformation availation	egulation (EC) No. 1272/2008 [CLP] able on the preparation itself . face water or drains.	
12.1.	Toxicity No informati	on available.		
	Long-term	Ecotoxicity		
	-	l data are not av	ailable.	
40.0				

12.2. Persistence and degradability

Article No.: Print date Version		130XXXXXX 15.02.2017 1.0	ARTIST WATERCOLOUR PANS Revision date 15.02.2017 Issue date 29.12.2016	EN Page 5 / 6			
	Toxicological data are not available.						
12.3.	Bioaccumulative potential						
	Toxicological data are not available.						
	Bioconcentration factor (BCF)						
40.4	Toxicological data are not available.						
12.4.	. Mobility in soil Toxicological data are not available.						
12.5.	12.5. Results of PBT assessment						
	The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.						
12.6.	Other adverse effects						
13.	Disposal of	considerations					
13.1.	Waste trea	tment methods					
	Appropriate disposal / Product						
	Recommendation						
	its container must be disposed of in a safe way. Waste						
	-	-	2008/98/EC, covering waste and dange s/waste designations in accordance				
	080112		aint and varnish other than those menti				
	packaging						
	Recommendation Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.						
11							
14.		information	of this transport regulation.				
14 1	UN number		or this transport regulation.				
			n.a.				
14.2.	UN proper s	shipping name					
44.0	<b>T</b>						
14.3.	Transport n	azard class(es)	n.a.				
14.4.	Packing gr	oup	ind.				
	55		n.a.				
14.5.	Environme	ntal hazards					
	-	ort (ADR/RID)	n.a.				
	Marine pollu		n.a.				
14.6.	Special precautions for user						
	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8						
	Additional	information					
		port (ADR/RID)					
	tunnel restri		_				
	Sea transp EmS-No.		n.a.				
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code						
	not applicable						
15.							
15.1.		Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture					

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU legislation

Article No.: Print date Version	130XXXXXX 15.02.2017 1.0	ARTIST WATERCOLOUR PANS Revision date 15.02.2017 Issue date 29.12.2016	EN Page 6 / 6	

# Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline). VOC-value (in g/L) ISO 11890-2: 0

VOC-value (in g/L) ASTM D 2369:

0 0

## **National regulations**

## **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

## Other regulations, restrictions and prohibition regulations

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

## 16. Other information

Full text of classification in section 3:

## Additional information

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.